






VoIP GATEWAYS & ADAPTERS - SBC - ROUTERS – IP PHONES

ANALOG VoIP GATEWAYS




MP 112 	MP114 	MP118 	MP124 
2 FXS	4 (FXS, FXO or FXS/FXO)	8 (FXS, FXO or FXS/FXO)	Up to 24 FXS
Analog (Voice, Fax, Modem) to IP - Fallback to PSTN - Multi-codecs - Scales 2 to 24 analog ports for analog phones sets or analog trunk lines - Web management			

MP 1288 
High Density Gateway for Carrier and Provider - Analog (Voice, Fax, Modem) to IP - Supports short and long haul up to 7,5 km - Multi-codecs - 72, 144, 216 or 288 analog ports (FXS)










ANALOG TELEPHONE ADAPTERS

MP 20X 			
MP-204R	MP-204D	MP-202R	MP-202D
4 FXS + 1 USB 2.0	2 FXS + 1 USB 2.0	4 FXS + 1 USB 2.0	2 FXS
Analog (Voice, Fax, Modem) to IP - Support 3G/4G for cellular broadband access via port USB Remote provisioning through TR-069 protocol - Multi-codecs			

MULTISERVICES BUSINESS ROUTERS : Access - Data - Voice - Security

Specifications	Mediant 500L MSBR 	Mediant 500 MSBR 	Mediant 800 MSBR 
WAN Ports	Up to 3	Up to 3	Up to 3
LAN Ports	4 FE or 4 GE or 8 GE	4 GE	Up to 8 FE and 4 GE
PoE	Yes	Yes	Yes
TDM Interfaces	FXS/FXO/BRI	E1/T1/ FXS/FXO/BRI	E1/T1/ FXS/FXO/BRI
Max Voice Channels	8	8/30	120
SBC Capacity	60 sessions	180 sessions	180 sessions
3G/4G Backup	Yes	Yes	Yes
PSTN Survivability	Yes	Yes	Yes
Firewall - VPN - DHCP Server - PSTN Survivability - WiFi - SIP Trunk - Network Quality Monitoring			

Enhanced GATEWAYS & Sessions Border Controller (SBC)

Specifications	Mediant 800 	Mediant 1000 	Mediant 2000 	Mediant 2600 	Mediant 3000 	Mediant + 4000 	Mediant 9000 	Mediant VE 	Mediant SE 
SBC Sessions	250	150		600	1 008	5 000	24 000	6 000	24 000
TDM Channels	60	192	480		2 000				
Modularity	Yes	No	No	No	No	No			
Digital Interfaces	2E1/T1	6E1/8T1	16E1/T1		3T3 10C-3/STM1 63E1/84T1				
Analog Interfaces	12	24							
BRI Interfaces	8	20							
LAN Ports	4 GE or 8GE+8FE	4 GE or 8GE+8FE	2FE	8GE	2FE	8GE	8GE	Hardware platform dependant	
Skype for Business Certified - Secured SIP trunk Connectivity - Compatible IPBX & PBX (TDM) - PSTN Connectivity - Centralized Management (Audiocodes One Voice OCM) - Real Time Voice Quality Monitoring (Audiocodes Session Experience Manager)									

APPLICATIONS

Skype for Business (SfB) & Microsoft Teams	Contact Centers	Service Providers	Entreprise Voice	Network Fonction Virtualization (NFV)	Managed IP Phones Solution	AC VOCA
Microsoft Teams	Solution for Genesys	Solution pour Broadsoft	Certified by leading IP-PBX and UC vendors	Deliver voice services such as Hosted business services, unified communications and contact centers via private or public clouds.	The solution provides with powerful and easy-to-use administrators tools simplifying tasks such as configuration, troubleshooting and monitoring to increase efficiency and ensure user satisfaction.	Speech Recognition highest degree of integration and interoperability with any telephony PBX or IVR. (VocaNOM, VocaONE,...: Customized solutions for CRM, ERP, ...) system control.
Skype for Business Server	Solution for Avaya	SIP Trunking	Smooth migration to SIP trunking			
Skype for Business online	Contact Center Cloud Infrastructure	Hosted UC	Support for cloud and on-premises deployments			
Hosted Skype for Business	Work at Home Agents	PSTN to all-IP Migration Service Provider Access and Peering SBC	Seamless integration of legacy devices			